EAST SEARCH   8/20/2008

L#	Hits	Search String	Databases
S1	24	(simulate or simulated or simulating or simulation) with ((twisted or twisting) near2 yarn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S2	24	(simulate or simulated or simulating or simulation) with ((plurality or sevreal or many) near2 ya	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S3	7	(form or formed or forming or formation or diaplay or diaplayed or diaplaying) with ((twisted or t	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S4	53	S1 or S2 or S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S5	4	S4 and (yarn with image with line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S6	3	S4 and (yarn with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S7	1	S4 and (yarn with model with (abstract or abstracted or abstracting or abstraction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S8	1	S4 and (model with image with (relation or relationship or correspondence or corresponding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S9	1	S4 and (yarn with model with (twist or twisted or twisting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S10	1	S4 and (yarn with model with (project or projected or projecting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S11	2	S4 and (yarn with model with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S12	1	S4 and (yarn with model with (produce or produced or producing or production))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S13	7	S4 and (yarn with image with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S14	1	S4 and ((arrange or arranged or arranging or arrangment) with (cross-section or "cross sectior	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S15	1	S4 and ((arrange or arranged or arranging or arrangment) with yarn with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S16	1	S4 and ((rotate or rotated or rotating or rotation) with (cross-section or "cross section") with sh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S17	0	S4 and (arrangment with (reference near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S18	1	S4 and ((produce or produced or producing or production) with (external near2 shape))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S19	2	S4 and (((flatten or flattened or flattening or flat) with (cross-section or "cross section") with sha	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S20	1	S4 and (yarn with model with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S21	1	S4 and (diameter with (square near2 root))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S22	3	S4 and (yarn with adjacent with (contact or contacted or contacting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S23	1	S4 and (region with (boundary near2 line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S24	1	S4 and (yarn with (twist or twisted or twisting) with "central axis")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S25	1	S4 and (model with diameter with (square near2 root))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S26	1	S4 and ((rotate or rotated or rotating or rotation) with "central axis" with "twisted yarn")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S27	1	S4 and ((rotate or rotated or rotating or rotation) with "central axis" with "reference point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S28	2	S4 and (position with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S29	1	S4 and ("weighted average" with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S30	1	S4 and (weight with (cross-section or "cross section") with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S31	24	(simulate or simulated or simulating or simulation) with ((twisted or twisting) near2 yarn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S32	24	(simulate or simulated or simulating or simulation) with ((plurality or sevreal or many) near2 ya	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S33	7	(form or formed or forming or formation or diaplay or diaplayed or diaplaying) with ((twisted or t	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S34	53	S31 or S32 or S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S35	4	S34 and (yarn with image with line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S36	3	S34 and (yarn with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S37	1	S34 and (yarn with model with (abstract or abstracted or abstracting or abstraction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S38	1	S34 and (model with image with (relation or relationship or correspondence or corresponding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S39	1	S34 and (yarn with model with (twist or twisted or twisting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S40	1	S34 and (yarn with model with (project or projected or projecting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S41	2	S34 and (yarn with model with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S42	1	S34 and (yarn with model with (produce or produced or producing or production))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

S43	7	S34 and (yarn with image with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S44	1	S34 and ((arrange or arranged or arranging or arrangment) with (cross-section or "cross sectic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S45	1	S34 and ((arrange or arranged or arranging or arrangment) with yarn with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S46	1	S34 and ((rotate or rotated or rotating or rotation) with (cross-section or "cross section") with sl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S47	0	S34 and (arrangment with (reference near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S48	1	S34 and ((produce or produced or producing or production) with (external near2 shape))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S49	2	S34 and ((flatten or flattened or flattening or flat) with (cross-section or "cross section") with sh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S50	1	S34 and (yarn with model with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S51	1	S34 and (diameter with (square near2 root))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S52	3	S34 and (yarn with adjacent with (contact or contacted or contacting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S53	1	S34 and (region with (boundary near2 line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S54	1	S34 and (yarn with (twist or twisted or twisting) with "central axis")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S55	1	S34 and (model with diameter with (square near2 root))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S56	1	S34 and ((rotate or rotated or rotating or rotation) with "central axis" with "twisted yarn")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S57	1	S34 and ((rotate or rotated or rotating or rotation) with "central axis" with "reference point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S58	2	S34 and (position with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S59	1	S34 and ("weighted average" with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S60	1	S34 and (weight with (cross-section or "cross section") with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S61	9	S35 or S36 or S37 or S38 or S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S62	4	5,680,333.pn. or "5,557,527".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S63	24	(simulate or simulated or simulating or simulation) with ((twisted or twisting) near2 yarn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S64	24	(simulate or simulated or simulating or simulation) with ((plurality or sevreal or many) near2 ya	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S65	45	(model or modeled or modeling or modelled or modelling) with ((twisted or twisting) near2 yarn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S66	6	(model or modeled or modeling or modelled or modelling) with ((plurality or sevreal or many) n	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S67	95	S63 or S64 or S65 or S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S68	7	(form or formed or forming or formation or diaplay or diaplayed or diaplaying) with ((twisted or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S69	101	S67 or S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S70	4	S69 and (yarn with image with line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S71	5	S69 and (yarn with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S72	1	S69 and (yarn with model with (abstract or abstracted or abstracting or abstraction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S73	1	S69 and (model with image with (relation or relationship or correspondence or corresponding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S74	45	S69 and (yarn with model with (twist or twisted or twisting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S75	1	S69 and (yarn with model with (project or projected or projecting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S76	2	S69 and (yarn with model with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S77	5	S69 and (yarn with model with (produce or produced or producing or production))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S78	7	S69 and (yarn with image with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S79	1	S69 and ((arrange or arranged or arranging or arrangment) with (cross-section or "cross sectic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S80	1	S69 and ((arrange or arranged or arranging or arrangment) with yarn with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S81	1	S69 and ((rotate or rotated or rotating or rotation) with (cross-section or "cross section") with sl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S82	0	S69 and (arrangment with (reference near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S83	1	S69 and ((produce or produced or producing or production) with (external near2 shape))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S84	2	S69 and ((flatten or flattened or flattening or flat) with (cross-section or "cross section") with sh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S85	4	S69 and (yarn with model with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S86	1	S69 and (diameter with (square near2 root))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S87	5	S69 and (yarn with adjacent with (contact or contacted or contacting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S88	1	S69 and (region with (boundary near2 line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S89	2	S69 and (yarn with (twist or twisted or twisting) with "central axis")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S90	1	S69 and (model with diameter with (square near2 root))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S91	1	S69 and ((rotate or rotated or rotating or rotation) with "central axis" with "twisted yarn")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

S92	1	S69 and ((rotate or rotated or rotating or rotation) with "central axis" with "reference point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S93	3	S69 and (position with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S94	1	S69 and ("weighted average" with (cross-section or "cross section") with shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S95	1	S69 and (weight with (cross-section or "cross section") with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S96	55	S70 or S71 or S72 or S73 or S74 or S75 or S76 or S77 or S78 or S79 or S80 or S81 or S82 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB